SECTION C

INDEX TO VOLUME 28

Authors

Atkinson, R. G.—Studies on the parasitism and variation of *Alternaria Raphani*, 288.
See Rouatt, J. W.

Bailey, D. L.—Studies in racial trends and constancy in *Cladosporium fulvum* Cooke, 535.

Bannan, M. W. and Whalley, B. E.—The elongation of fusiform cambial cells in *Chamaecyparis*, 341.

Bell, H. P.—Determinate growth in the blueberry, 637.

Blackwood, A. C. and Simpson, F. J.—Production and properties of 2,3-butanediol. XXXVII. A study of factors affecting the *Bacillus subtilis* fermentation, 613.

Cain, R. F.—Studies of coprophilous Ascomycetes. I. *Gelasinospora*, 566.

Campbell, J. J. R. and Norris, F. C.—The intermediate metabolism of *Pseudomonas aeruginosa*. IV. The absence of an Embden–Meyerhof system as evidenced by phosphorus distribution, 203.

Clement, M. T.—See Watson, R. W.

Clendenning, K. A. and Gorham, P. R.—Dark reactions of chloroplast suspensions, 102. Photochemical activity of isolated chloroplasts in relation to their source and previous history, 114. Photochemical activity of isolated spinach chloroplasts in relation to reaction conditions, 78.
See Gorham, P. R.; Waygood, E. R.

Coleman, L. C.—Nuclear conditions in normal stem tissue of *Vicia faba*, 382. Tumor induction in *Vicia faba* and other hosts by *Agrobacterium rubi* (Hildebrand) Starr and Weiss, 277.

Corns, W. G.—Effects of 2,4-D and soil moisture on the catalase activity, respiration, and protein content of bean plants, 393.

Davidson, T. R.—Phloem necrosis of potato tubers in relation to leaf-roll-free *Myzus persicae* Sulc., 283.

Dion, W. M.—The proteolytic enzymes of microorganisms. I. Survey of fungi and actinomycetes for protease production in submerged culture, 577. II. Factors affecting the production of proteases in submerged culture, 586.

Gorham, P. R.—Heterotrophic nutrition of seed plants with particular reference to *Lemna minor* L., 356.

———— and Clendenning, K. A.—Storage of isolated chloroplasts without loss of photochemical activity, 513.
See Clendenning, K. A.

Haskins, R. H.—Biochemistry of the Ustilaginales. I. Preliminary cultural studies of *Ustilago zeae*, 213.

Huskins, C. L.—See Smith, S. G.

Jackson, H. S.—Studies of Canadian Thelephoraceae. V. Two new species of *Aleurodiscus* on conifers, 63. VI. The *Peniophora rimicola* group, 525. VII. Some new species of *Corticium*, section Athele, 716.

Katznelson, H. and White, A. H.—Nutritional requirements of *Pseudomonas nigrifaciens* as related to growth and pigment production, 706.

Landerkin, G. B., Smith, J. R. G., and Lochhead, A. G.—A study of the antibiotic activity of actinomycetes from soils of Northern Canada, 690.

Lochhead, A. G.—See Landerkin, G. B.; Wallace, R. H.

McConnell, W. B.—The proteolytic enzymes of microorganisms. III. Some characteristics of extracellular proteases produced in submerged culture, 600.

McDermott, L. A.—See Stapleton, N. M.

McGinnis, R. C.—See Unrau, J.

Machacek, J. E.—An agar-sheet method of testing the efficiency of seed treating machines, 739.

MacNeill, B. H.—Studies in *Septoria lycopersici* Speg., 645.

Muirhead, D. R.—See Watson, R. W.

Norris, F. C.—See Campbell, J. J. R.

Peterson, R.—See Rose, D.

Pillsbury, R. W.—Natural anchoring of the red alga, *Gracilaria confervoides* (L.) Grev. on unstable bottom by association with an annelid worm, 471.

Radforth, N. W. and Woods, A. B.—An analysis of *Cladophlebis (Klukia) Dunkeri* Schimper, a mesozoic fern from Western Canada, 780.

Raymond, M.—Les Cypéracées de l'île Anticosti: *Carex* et *Kobresia*, 406.

Roberts, D. W. A.—Nitrogen determination in wheat leaves, 745. Qualitative and quantitative determination of the wheat leaf carbohydrates, 754.

Rose, D. and Peterson, R.—Influence of the amino acid–dextrose reaction on growth of *Rhizobium*, 197.

Rouatt, J. W. and Atkinson, R. G.—The effect of the incorporation of certain cover crops on the microbiological balance of potato scab infested soil, 140.

Rousseau, J.—Cheminements botaniques à travers Anticosti, 225.

Sackston, W. E.—Effect of pasmo disease on seed yield and thousand kernel weight of flax, 493.

Sander, G. F.—See Smith, S. G.

Sanderson, M.—Three years of evapotranspiration at Toronto, 482.

Savile, D. B. O.—North American species of *Chrysomyxa*, 318.

Simpson, F. J.—See Blackwood, A. C.

Skolko, A. J.—See Wallen, V. R.

Smith, J. R. G.—See Landerkin, G. B.

Smith, S. G., Huskins, C. L., and Sander, G. F.—Mutations in polyploid cereals. III. The cytogenetics of compactoid wheats, 153.

Smith, W. E.—See Unrau, J.

Stapleton, N. M. and McDermott, L. A.—The role of the aphids, *Brevicoryne brassicae* and *Myzus persicae*, in the spread of *Xanthomonas campestris*, the causal organism of black rot of turnips, 699.

Stover, R. H.—The black rootrot disease of tobacco. I. Studies on the causal organism *Thielaviopsis basicola*, 445. II. Physiologic specialization of *Thielaviopsis basicola* on *Nicotiana Tabacum*, 726.

Thomas, G. P.—Two new outbreaks of *Phomopsis lokoyae* in British Columbia, 477.

Unrau, J., Smith, W. E., and McGinnis, R. C.—Spike density, speltoidy, and compactoidy in hexaploid wheat, 273.

Wallace, R. H. and Lochhead, A. G.—Qualitative studies of soil microorganisms. IX. Amino acid requirements of rhizosphere bacteria, 1.

Wallen, V. R. and Skolko, A. J.—Antibiotic XG as a seed treatment for the control of leaf and pod spot of peas caused by *Ascochyta Pisi*, 623.

Watson, R. W., Clement, M. T., and Muirhead, D. R.—The sterilization of glass and calomel electrodes by ultraviolet irradiation, 183.

Waygood, E. R.—Physiological and biochemical studies in plant metabolism. II. Respiratory enzymes in wheat, 7.

———— and Clendenning, K. A.—Carbonic anhydrase in green plants, 673.

Whalley, B. E.—Increase in girth of the cambium in *Thuja occidentalis* L., 331. See Bannan, M. W.

White, A. H.—See Katznelson, H.

Woods, A. B.—See Radforth, N. W.

SECTION C

INDEX TO VOLUME 28

Subjects

Actinomycetes
Antibiotic activity of, from soils of Northern Canada, 690.
Survey of, for protease production in submerged culture, 577.

Agar-sheet method of testing efficiency of seed treating machines, 739.

Agrobacterium rubi, Tumor induction in *Vicia faba* by, 277.

Aleurodiscus on conifers, 63.

Alga, Red, *Gracilaria confervoides*, Natural anchoring of, on unstable bottom by association with an annelid worm, 471.

Alternaria Raphani, Parasitism of, 288.

Amino acid
Amino acid–dextrose reaction on growth of *Rhizobium*, 197.
requirements of rhizosphere bacteria, 1.

Anhydrase, Carbonic, in green plants, 673.

Annelid worm, Natural anchoring of *Gracilaria confervoides* on unstable bottom by association with, 471.

Antibiotic
Activity of actinomycetes from soils of Northern Canada, 690.
XG as seed treatment for control of leaf and pod spot of peas, 623.

Anticosti
Botanical survey of, 225.
Cyperaceae of, 406.

Aphids, Role in spread of *Xanthomonas campestris*, causal organism of black rot of turnips, 699.

Aschochyta Pisi, Antibiotic XG used as seed treatment for control of, on peas, 623.

Ascomycetes, Coprophilous. *Gelasinospora*, 566.

Bacillus subtilis fermentation, Factors affecting, 613.

Bacteria, Rhizosphere, Amino acid requirements of, 1.

Biochemistry
Biochemical studies in plant metabolism, 7.
of the Ustilaginales, 213.

Black rot of turnips, Role of aphids in spread of *Xanthomonas campestris*, causal organism of, 699.

Blueberry, Determinate growth in, 627.

Brevicoryne brassicae, Role in spread of *Xanthomonas campestris*, 699.

2,3-Butanediol. Factors affecting *Bacillus subtilis* fermentation, 613.

Cambium
Elongation of fusiform cambial cells in *Chamaecyparis*, 341.
in *Thuja occidentalis*, Increase in girth of, 331.

Carbohydrates, Wheat leaf, Qualitative and quantitative determination of, 754.

Carbonic anhydrase in green plants, 673.

Catalase activity of bean plants, Effects of 2,4-D and soil moisture on, 393.

Chamaecyparis, Elongation of fusiform cambial cells in, 341.

Chloroplast(s)
Photochemical activity of, in relation to source and previous history, 114.
Spinach, Photochemical activity of, in relation to reaction conditions, 78.
Storage of, without loss of photochemical activity, 513.
Suspensions, Dark reactions of, 102.

Chrysomyxa, North American species of, 318.

Cladophlebis (*Klukia*) **Dunkeri,** a mesozoic fern from Western Canada, 780.

Cladosporium fulvum, Racial trends and constancy in, 535.

Compactoidy
Cytogenetics of compactoid wheats, 153.
in hexaploid wheat, 273.

Conifers, *Aleurodiscus* on, 63.

Coprophilous Ascomycetes. *Gelasinospora*, 566.

Corticium, New species of, 716.

Cover crops, Effect of, on the microbiological balance of potato scab infested soil, 140.

Culture, Submerged
Characteristics of extracellular proteases produced in, 600.
Factors affecting production of proteases in, 586.
Survey of fungi and actinomycetes for protease production in, 577.

Cyperaceae of Anticosti, 406.

Cytogenetics of compactoid wheats, 153.

2,4-D, Effects of, on the catalase activity, respiration, and protein content of bean plants, 393.

Dextrose, See Amino acid.

Embden–Meyerhof system, Absence of, as evidenced by phosphorus distribution in *Pseudomonas aeruginosa*, 203.

Enzymes
Proteolytic, of microorganisms
Characteristics of extracellular proteases produced in submerged culture, 600.
Factors affecting production of proteases in submerged cultures, 586.
Fungi and actinomycetes for protease production in submerged culture, 577.
Respiratory, in wheat, 7.

Evapotranspiration at Toronto, 482.

Fermentation, Factors affecting *Bacillus subtilis*, 613.

Fern, Mesozoic, from Western Canada, 780.

Flax, Effects of Pasmo disease on thousand kernel weight of, 493.

Fungi, Survey of, for protease production in submerged culture, 577.

Gelasinospora, A coprophilous ascomycete, 566.

Gracilaria confervoides, Natural anchoring of, on unstable bottom by association with an annelid worm, 471.

Growth
Determinate, in blueberry, 637.
Nutritional requirements of *Pseudomonas nigrifaciens* as related to, 706.
of *Rhizobium*, Influence of amino acid–dextrose reaction on, 197.

Hexaploid wheat, Spike density, speltoidy, and compactoidy in, 273.

Klukia—See *Cladophlebis Dunkeri*.

Leaf carbohydrates, Wheat, Qualitative and quantitative determination of, 754.

Leaf spot of peas, Antibiotic XG used as seed treatment for control of, 623.

Leaves, Wheat, Nitrogen determination in, 745.

Lemna minor, Heterotrophic nutrition of seed plants with particular reference to, 356.

Mesozoic fern from Western Canada, 780.

Metabolism
of *Pseudomonas aeruginosa*. Absence of an Embden–Meyerhof system as evidenced by phosphorus distribution, 203.
Plant. Respiratory enzymes in wheat, 7.

Microbiology. Effect of cover crops on the microbiological balance of potato scab infested soil, 140.

Microorganisms
Proteolytic enzymes of
Characteristics of extracellular proteases produced in submerged culture, 600.
Factors affecting production of proteases in submerged culture, 586.
Fungi and actinomycetes for protease production in submerged culture, 577.
Soil. Amino acid requirements of rhizosphere bacteria, 1.

Mutations
in polyploid cereals. Cytogenetics of compactoid wheats, 153.

Myzus persicae
Leaf-roll-free, Phloem necrosis of potato tubers in relation to, 283.
Role in spread of *Xanthomonas campestris*, 699.

Nicotiana Tabacum, Physiologic specialization of *Thielaviopsis basicola* on, 726.

Nitrogen determination in wheat leaves, 745.

Nuclear conditions in normal stem tissue of *Vicia faba*, 382.

Nutrition
Heterotrophic, of seed plants, 356.
Nutritional requirements of *Pseudomonas nigrifaciens* as related to growth and pigment production, 706.

Parasitism of *Alternaria Raphani*, 288.

Pasmo disease, Effects of, on seed yield and thousand kernel weight of flax, 493.

Peniophora rimicola group in studies of Canadian Thelephoraceae, 525.

Phloem necrosis of potato tubers in relation to leaf-roll-free *Myzus persicae*, 283.

Phomopsis lokoyae, Outbreaks of, in British Columbia, 477.

Phosphorus distribution, Absence of an Embden–Meyerhof system in *Pseudomonas aeruginosa*, as evidenced by, 203.

Photochemistry
- Photochemical activity of spinach chloroplasts in relation to reaction conditions, 78.
- Storage of chloroplasts without loss of photochemical activity, 513.

Physiology
- Physiological studies in plant metabolism, 7.

Pigment production, Nutritional requirements of *Pseudomonas nigrifaciens* as related to, 706.

Plant metabolism. Respiratory enzymes in wheat, 7.

Plants, Green, Carbonic anhydrase in, 673.

Pod spot of peas, Antibiotic XG used as seed treatment for control of, 623.

Polyploid cereals, Mutations in. Cytogenetics of compactoid wheats, 153.

Potato scab infested soil, Effect of cover crops on the microbiological balance of, 140.

Potato tubers, Phloem necrosis of, in relation to leaf-roll-free *Myzus persicae*, 283.

Proteases in submerged culture.
- Characteristics of extracellular, 600.
- Factors affecting production of, 586.
- Fungi and actinomycetes for production of, 577.

Protein content of bean plants, Effects of 2,4-D and soil moisture on, 393.

Proteolytic enzymes of microorganisms.
- Characteristics of extracellular proteases produced in submerged culture, 600.
- Factors affecting production of proteases in submerged culture, 586.
- Fungi and actinomycetes for protease production in submerged culture, 577.

Pseudomonas aeruginosa. Absence of an Embden–Meyerhof system as evidenced by phosphorus distribution, 203.

Pseudomonas nigrifaciens, Nutritional requirements of, as related to growth and pigment production, 706.

Racial trends in *Cladosporium fulvum*, 535.

Respiration
- Effects of 2,4-D and soil moisture on, of bean plants, 393.
- Respiratory enzymes in wheat, 7.

Rhizobium, Influence of amino acid–dextrose reaction on, 197.

Rhizosphere bacteria, Amino acid requirements of, 1.

Rootrot disease of tobacco, 445, 726.

Rot, Black, of turnips, Role of aphids in spread of *Xanthomonas campestris*, causal organism of, 699.

Seeds
- Agar-sheet method of testing efficiency of seed treating machines, 739.
- Effects of Pasmo disease on seed yield of flax, 493.
- Heterotrophic nutrition of seed plants with particular reference to *Lemna minor*, 356.
- Seed treatment using antibiotic XG for control of leaf and pod spot of peas, 623.

Septoria lycopersici, Studies in, 645.

Soil microorganisms. Amino acid requirements of rhizosphere bacteria, 1.

Soil moisture, Effects of, on the catalase activity, respiration, and protein content of bean plants, 393.

Soil(s)
- Antibiotic activity of actinomycetes from, 690.
- Potato scab infested, Effect of cover crops on the microbiological balance of, 140.

Speltoidy in hexaploid wheat, 273.

Spike density in hexaploid wheat, 273.

Spinach chloroplasts, Photochemical activity of, in relation to reaction conditions, 78.

Stem tissue, Normal, of *Vicia faba*, Nuclear conditions in, 382.

Sterilization of glass and calomel electrodes by ultraviolet irradiation, 183.

Thelephoraceae
New species of *Corticium* 716.
Peniophora rimicola group, 525.
Two new species of *Aleurodiscus* on conifers, 63.

Thielaviopsis basicola
Causal organism of black rootrot disease of tobacco, 445.
Physiologic specialization of, on *Nicotiana Tabacum*, 726.

Thuja occidentalis, Increase in girth of the cambium in, 331.

Tobacco, Rootrot disease of, 445, 726.

Tumor induction, in *Vicia faba* by *Agrobacterium rubi*, 277.

Turnips, Role of aphids in spread of *Xanthomonas campestris*, causal organism of black rot of, 699.

Weight of flax, Effects of Pasmo disease on, 493.

Wheat leaves
Nitrogen determination in, 745.
Wheat leaf carbohydrates, Qualitative and quantitative determination of, 754.

Wheats
Compactoid, Cytogenetics of, 153.
Hexaploid. Spike density, speltoidy, and compactoidy in, 273.
Respiratory enzymes in, 7.

Worm, Annelid, Natural anchoring of *Gracilaria confervoides* on unstable bottom by association with, 471.

Ultraviolet irradiation, Sterilization of glass and calomel electrodes by, 183.

Ustilaginales, Biochemistry of, 213.

Ustilago zeae, Preliminary cultural studies of, 213.

Vicia faba
Nuclear conditions in normal stem tissue of, 382.
Tumor induction in, by *Agrobacterium rubi*, 277.

Xanthomonas campestris, Role of aphids in spread of, 699.

XG, Antibiotic used as seed treatment for control of leaf and pod spot of peas, 623.